

09-09-03

04:34pm

From-CLARK & ELBING LLP

+6174287045

T-874

P.001

F-119

fp

Clark & Elbing LLP

101 Federal Street
Boston, MA 02110

Telephone 617-428-0200
Facsimile 617-428-7045
617-428-7046

Date: September 9, 2003

To: Examiner Joseph Woitach
U.S. Patent and Trademark Office
Group Art Unit 1632

Facsimile No: 1-703-872-9306

From: Jan N. Tittel, Ph.D.
Reg. No. 52,290 for
Kristina Bicker-Brady, Ph.D.
Reg. No. 39,109

Re: U.S. Serial No. 09/559,622
Our Reference: 01997/521002

Pages: 15, Including Fax Cover Sheet

Message: Attachments:

Supplemental Amendment

OFFICIAL

RECEIVED
CENTRAL FAX CENTER

SEP 09 2003

14 pages

NOTICE: This facsimile transmission may contain confidential or privileged information intended for the addressee only. If you are not the addressee, be aware that any disclosure, copying, distribution, or use of the information is prohibited. If you have received this facsimile transmission in error, please call us at 617-428-0200 to arrange for its return at no cost to you.


PATENT
ATTORNEY DOCKET NO. 01997/521002

Certificate of Facsimile Transmission: Date: September 9, 2003

I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being facsimile transmitted to the U.S. Patent and Trademark Office, Attention: Examiner Woitach, Group Art Unit 1632, Fax No. 1-703-872-9306.

Christine M. Colbert

Printed name of person facsimile transmitting



Signature of person facsimile transmitting

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:	Ranganathan et al.	Art Unit:	1632
Serial No.:	09/559,622	Examiner:	Joseph Woitach
Filed:	April 27, 2000	Customer No.:	21559
Title:	NOVEL SEROTONIN-GATED ANION CHANNEL		

SUPPLEMENTAL AMENDMENT

In response to the Advisory Action mailed in connection with the above-referenced case on August 12, 2003, and further to Applicants' telephone interviews with Examiner Woitach on August 25, 2003 and September 5, 2003, Applicants submit the following amendment and remarks.

OFFICIAL

RECEIVED
CENTRAL FAX CENTER

SEP 09 2003